

Calumma Remote M MC Calumma Remote M SC



QR code for user manual



USER MANUAL

Table of contents

| 1. Safety instructions | 3 |
|-------------------------------|----|
| 2. Fixture exterior view | 5 |
| 3. Control and connection | 5 |
| 4. Installation | 8 |
| 4.1 Mounting the fixture | 8 |
| 4.2 Connection to power | 10 |
| 4.3 Top hat installation | 14 |
| 4.4 Half top hat installation | 15 |
| 5. Software update | 16 |
| 6. Technical specifications | |
| 7. Cleaning and maintenance | 22 |
| 7.1 Disposing of the product | 22 |
| 8. ChangeLog | 22 |

FOR YOUR OWN SAFETY, PLEASE READ THIS USER MANUAL CAREFULLY BEFORE POWERING OR INSTALLING YOUR Calumma Remote M ! Save it for future reference.

This device has left our premises in absolutely perfect condition. In order to maintain this condition and to ensure safe operation, it is absolutely necessary for the user to follow the safety instructions and warnings written in this manual.

The manufacturer will not accept liability for any resulting damages caused by the non-observance of this manual or any unauthorized modification to the device.

Unauthorized modification will void warranty.

1. Safety instructions

DANGEROUS VOLTAGE CONSTITUTING A RISK OF ELECTRIC SHOCK IS PRESENT WITHIN THIS UNIT!

This fixture should be operated only from the type of power source indicated on the marking label. If you are not sure of the type of power supplied, consult your authorized distributor or local power company.

Always disconnect the fixture from AC power before servicing or cleaning.

Make sure the power/data cable is not damaged by sharp edges.

Do not install the unit near an open flame.

Refer servicing to qualified service personnel.

Do not connect this fixture to a dimmer pack.

LED light emission. Risk of eye injury. Do not look into the beam from a short distance without suitable protective eyewear. Do not look at LEDs with magnifiers or similar optical instruments that may concentrate the light output.

The fixture was designed for outdoor use. This fixture must not be used for underwater installation.

When choosing the installation spot, please make sure that the fixture is not exposed to extreme heat or dust.

Avoid using the unit in locations subject to possible impacts.

The fixture body never must be covered with cloth or other materials when the fixture is under operation.

Only operate the fixture after having checked that the housing is firmly closed and all screws are tightly fastened.

The fixture becomes hot during operation. Allow the fixture to cool approximately 30 minutes prior to servicing or maintenance.

Operate the fixture only after having familiarized yourself with its functions. Do not permit operation by persons not qualified to operate the fixture. Most damages are the result of unprofessional operation!

Please consider that unauthorized modifications on the fixture are forbidden due to safety reasons!

Please use the original packaging if the fixture is to be transported.

If this device will be operated in any way different to the one described in this manual, the product may suffer damages and the warranty becomes void. Furthermore, any other operation may lead to dangers like short-circuit, burns, electric shock etc.

The product (covers and cables) must not be exposed to a high frequency electromagnetic field higher than 3V/m.

Immunity of the equipment is designed according to the standard EN 55035 Electromagnetic compatibility of multimedia equipment - Immunity requirements

Emission of the equipment complies with the standard EN55032 Electromagnetic compatibility of multimedia equipment – Emission Requirements according to class B.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.


The [Device] wireless operation is safe and complies to RF Exposure requirements.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Warning for fixtures with Harsh Environment Finish (HEF): Handle with care! Avoid any damage to the painted surface. Damaging the paint may result in corrosion and loss of warranty.

2. Fixture exterior view



- 1. Transparent glass cover
- 2. Mounting yoke
- 3. Tilt adjusting lock
- 4. LED module with heat sink


3. Control and connection

The Calumma Remote M modules should be connected to the E-Box Remote or E-Box Remote basic via junction boxes.




The E-box Remote has to be switched to the Pass-Through mode.


Example of connection with E-box Remote



Example of connection with E-box Remote Basic



Note. Combination of Calummas Remote M and Emineres Remote is also possible. Example:



Max. number of Calummas Remote M connected to the E-box Remote/E-box Remote Basic depends on cable length.


| Cable length * | Max. number of Calummas Remote M SC/Calummas Remote M MC |
|----------------|--|
| 25 m | 6 |
| 50 m | 5 |
| 75 m | 4 |
| 100 m | 3 |

E-box Remote/E-box Remote Basic

* Cable length is a total cable length on both outputs of the E-box Remote (E-box Remote Basic).

Example:

Total cable length (output 1+output 2)=L1+L2+L3+L4+L5+L6+L7+L8+L9




Max. number of Calummas Remote M SC/MC connected to the one output of the E-box Remote/E-box Remote Basic is 5.

4. Installation

4.1 Mounting the fixture

The Calumma Remote M can be fastened in any orientation on a flat, non-flammable surface by means of mounting yoke (2).



The LED module (4) can be tilted +180°/-180°. Use an Allen key 2.5 for adjusting a LED module position.


Ensure that the structure to which you are attaching the fixture is secure.

Mounting the fixture via the pole clamp adaptor

The pole clamp adaptor serves as a fastening element for Calumma Remote M on a pole of diameter of 76-116mm or on the flat pole. The Calumma Remote M has to be equipped with a modified mounting yoke (P/N 11418769) intended for this way of installation.


The pole clamp adaptor set includes: 1x pole clamp adaptor, 1x rubber cable gland, 3x Allen screw M8x20, 3x flat washer, 3x spring washer, 2x tube spacer.

1. The pole clamp adaptor can be screwed on the pole by means of two screws or fixed by means of a steel clamping tape (max. width of tape=20mm).



If you use two screws for fastening the pole clamp adaptor on the pole, drill two holes (1) for fastening the pole clamp adaptor on the pole. Diameter of holes depends on material of pole and used screws. Be sure that fastening of the pole clamp adaptor is secure to keep weight of Calumma remote M.

2. Drill the hole (2) for rubber cable gland (diameter of hole=20mm, max. thickness of pole wall= 3.2mm), make drilled hole edges clean (without burrs) and insert the rubber gland into the hole.



- Screw the pole clamp adaptor (4) on the pole by means of two screws (5) with spring washers or use a steel clamping tape for fastening the pole clamp adaptor on the pole.
 In case of screwing the pole clamp adaptor (7) on a flat surface (pole), two pole spacers have to be inserted under two mounting holes of the pole clamp adaptor (on fastening screws (5)) to fill up space between the pole and the pole clamp adaptor
- 4. Pass the Calumma Remote M cable (6) through mounting yoke (7), pole clamp adaptor (4) and through cable gland (2) into the pole.
- Screw the Calumma Remote M mounting yoke (7) on the pole clamp adaptor (4) by means of three Allen screws M8x20 (3) with washers (Allen screw + spring washer+ flat washer). Keep correct orientation of the fastening screws (3) as drawn on the picture – two screws (B) have to aim upwards, one screw has to be orientated towards ground.


NOTE. Three mounting openings in the mounting yoke allow positioning of the mounting yoke.

4.2 Connection to power


The unit must be installed by a qualified electrician in accordance with all national and local electrical and construction codes and regulations.

3.2.1 Junction box installation

Junction box with one output



Junction box with four outputs



1.Unscrew the four screws (1) from the cover (2) on the junction box to get access to the DPS with terminal blocks (3) and two mounting holes (4).

2. Screw the junction box on a non-flammable flat surface.


3. Connect cables to terminal blocks.

Two cable glands M20 x 1.5 serves for a power/data cable. One (or four) cable gland M12 x 1.5 serves for Calumma Remote M connection cable.


Remove the end cap from the cable gland before passing the cable.

We recommend to apply an adequate layer of the paste LOCTITE 5331 on the plastic holder of the cable gland before inserting it into the body of the gland.

Cable gland M20x1.5 and M12x1.5



Wiring of connection blocks on DPS RB4232 in the junction box with one LED output.



RB4232-V1.1

Fuse F1: 2A/500V AC.

3 7 INPUT OUTP lumma 1 Calum Calumma 3 nma 4 200 202 ΟΟ Π Π 00 П 00 Ð Π Ð Ð ⊕ ()4 占 Π Π ÷ ÷ SV7 SV8 SV9 SV10 S11 SV12 INPUT Calumma 4 OUTPUT Calumma 1 Calumma 2 Calumma 3

Wiring of connection blocks on DPS RB4233 in the junction box with four LED outputs.

RB4233-V1.1

Fuse F1-F4: 2A/500V AC.

Calumma Remote M connection:

| Connector | Vcc | D+ | D- | 0V | |
|----------------|--------|--------|--------|--------|---------------|
| Function | LEDs + | Data + | Data - | LEDs - | Not connected |
| Colour of wire | Red | Orange | White | Black | |

Colours of wires apply to the 5-cored cable UL 20969 5x 20AWG (P/N 13053481)

Connection between junction box and E-box Remote and among junction boxes:

| Connector | Vcc | D+ | D- | 0V | |
|----------------|--------|--------|--------|--------|---------------|
| Function | LEDs + | Data + | Data - | LEDs - | Not connected |
| Colour of wire | Red | Orange | White | Black | |

Colours of wires apply to the 5-cored cable SJTW 5x 14AWG (P/N 1305 3336).

NOTE: Each line of Calummas Remote M connected to the LED output of the E-box Remote has to be terminated at the last fixture.


EITHER connect a 120 Ohm resistor between terminals D+ and D- in the last fixture,

<u>OR</u> terminate via RDM as described in the E-box Remote user manual.


Ensure **ONLY** the last fixture in the line is terminated using **ONE** of the above methods!

Examples

Termination via 120 Ohm resistor



RB4232-V1.1



RB4233-V1.1

Termination via RDM:


| erminator active (0-dis 1-en): 00 (he) | | |
|--|----------------------------------|-------|
| | erminator active (0-dis 1-en): 0 | (hex) |

4. Screw the cover (2) back on the junction box.

4.3 Top hat installation

1. Unscrew the four flat-head screws M3x8 (1) from the front of the Calumma Remote M and remove the flange (2).


2. Place the top hat (3) on the Calumma Remote M and screw it by means of the four flat-head screws M3x8 (1).




4.4 Half top hat installation

1. Unscrew the four flat-head screws M3x8 (1) from the front of the Calumma Remote M and remove the flange (2).

2. Place the half top hat (3) on the Calumma Remote M and screw it by means of the four flat-head screws M3x8 (1).





5. Software update

Software update of Calumma Remote M modules has to be done by means of the software ROBE Uploader running on PC.

The ROBE Uploader is a software for automatized software update of ROBE fixtures. The ROBE Uploader switches Calummas Remote M to the update mode automatically.

Please see https://www.robe.cz/robe-uploader/ for more information.

The Calummas Remote M have to be operated in the Pass-Through mode only.


To update Calummas Remote M including the E-box Remote.

- 1. Update connected LED modules by means of the file Calumma.lib in the ROBE Uploader.
- 2. Set the E-box Remote to the Standard mode and switch it off/on. Use the file EminereEbox.lib in the ROBE Uploader for software update of the E-box Remote.
- 3. After updating the E-box Remote, set the E-box Remote to the Pass-Through mode and switch it off/on.


For more information about updating please see the E-box Remote user manual and E-box Remote Base user manual.

Examples of connection for software update

1. By means of DMX connection and Robe Universal Interface.



2. By means of the Ethernet connection



6. Technical specifications

Power supply

- Input voltage: 48V
- Power consumption:
 - Calumma Remote M MC: 65 W
 - Calumma Remote M SC: 60 W

Optic

- Light source:
 - Calumma Remote M MC: 7 x high power multichip LEDs Calumma Remote M SC: 37 x high power single chip LEDs
- Colour variants: RGBW (W 6500 K), RGBA, PW (W 3000 K)
- Beam Angle Calumma Remote M MC:
 - Symetrical: 9°, 15°, 25°, 30°, 45°, 65°, 100°
 - Bi-symetrical: 10° x 30°, 30° x 10°, 10° x 60°, 60° x 10°, 15° x 45°, 45° x 15°,
 - 15°x90°, 90°x15°, 30°x60°, 60°x30°, 30°x90°, 90°x30°
- Beam Angle Calumma Remote M SC:
 - Symetrical: 10°, 15°, 25°, 30°, 45°, 65°, 100°
 - Bi-symetrical: 10° x 30°, 30° x 10°, 10° x 60°, 60° x 10°, 15° x 45°, 45° x 15°, 15°x90°, 90°x15°, 30°x60°, 60°x30°, 30°x90°, 90°x30°
- Projected Lumen Maintenance: L90B10 >90.000 hrs, Ta = 25°C / 77°F

Compatible drivers

- E-box Remote
- E-box Remote Basic

Mounting method

- Via yoke
- Adjustability: -180°/+180°

Housing

- High pressure die-cast aluminium body
- Tempered glass

Cooling system

Convection

Total heat dissipation

- Calumma Remote M MC: 166 BTU/h (calculated)
- Calumma Remote M SC: 153 BTU/h (calculated)

Protection factor

- CE: IP 67 (IP 66 junction box)
- US: Suitable for wet location

Impact rating

• IK10

Operating ambient temperature range

• -20°C /+40°C (-4°F /+104°F)

Operating temperature

• +67°C @ Ambient +40°C (+153°F @ Ambient +104°F)

Connection


• Via E-box Remote/E-box Remote Basic


Calumma IN: cable UL 20969 5x 20AWG (P/N 13053481), length 1m standard Interconnecting cable between junction boxes: SJTW 5x 14AWG (P/N 13053336) Junction Box for Calumma XS, (1x Output) Junction Box for Calumma XS, (4x Output)

Weight


- Calumma Remote M SC: 5.56 kg (12.3 lbs)
- Calumma Remote M MC: 5.43 kg (12 lbs)

Dimensions (All dimensions in mm [inch])







Calumma Remote M with Pole clamp adaptor





Junction box with one output






Junction box with four outputs







Included items

- 1 x Calumma Remote M MC / Calumma Remote M SC
- 1 x User manual

Optional accessories

Junction Box for Calumma XS, 1x Output, Ral 9011 (P/N 10980715) Junction Box for Calumma XS, 4x Output, Ral 9011 (P/N 10980716) Half Top Hat Calumma M RAL9011 (P/N 10980723) Pole clamp adaptor for Calumma RAL 9011 (P/N 10980783) Tenon Adaptor for Calumma M Pole Mount Bracket for Calumma M Floor Stand for Calumma S, M

7. Cleaning and maintenance

DANGER ! Disconnect from the mains before starting any maintenance or cleaning work

Rinse off loose dirt with low pressure water spray. Wash the housing with a soft brush or sponge and a mild, nonabrasive washing detergent. Rinse it.

Maintenance and service operations are only to be carried out by a qualified person. Should you need any spare parts, please use ROBE OEM parts.

7.1 Disposing of the product

To preserve the environment please dispose or recycle this product at the end of its life according to the local regulations and codes.

8. ChangeLog

This section summarizes changes in the user manual.

| Version of manual | Date of issue | Description of changes |
|-------------------|---------------|------------------------|
| | | |

Specifications are subject to change without notice. March 28, 2023 Copyright © 2023 Robe Lighting - All rights reserved Made in CZECH REPUBLIC by ROBE LIGHTING s.r.o. Palackeho 416/20 CZ 75701 Valasske Mezirici

| Versi | ion: 1 | 2 (16 | 5 moc | les in | total |) | | | |
|-------|--------|-------|-------|--|-------|----|-----------|---|-----------------|
| | | M | ode/0 | de/Channels in all Mode 1- RGBW(A)-8bit, Mode 2- RGB 8-bit, Mode 3- full RGBW(A) | | | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8-10 | Mode 4- White-full control, Mode 5- Reduced RGBW(A) | |
| 4 | 3 | 12 | 3 | 6 | 8 | 15 | Reserved | Mode 6- Reduced RGBW(A)+white control | |
| | | | | | | | | RGBW/RGBA/RGB modes | |
| | | Mod | e/cha | nnels | | | | Function | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | DMX Value | | Type of control |
| - | - | - | - | - | - | 1 | | Special functions | |
| | | | | | | | 0 | No function | step |
| | | | | | | | | To activate following functions , stop in DMX value for at least 3 sec. | |
| | | | | | | | 1-2 | Save current DMX values to fixture as initial DMX values. | step |
| | | | | | | | 3-4 | Show saved initial DMX values | step |
| | | | | | | | 5-6 | Run factory demo sequences at switching fixture on (without DMX) | step |
| | | | | | | | 7-255 | Reserved | |
| 1 | 1 | 1 | - | 1 | 1 | 2 | | Red | |
| | | | | | | | 0 - 255 | Red LEDs saturation control (0-100%) | proportional |
| - | - | 2 | - | - | - | 3 | | Red Fine | |
| | | - | | | | | 0 - 255 | Red LEDs saturation control fine | proportional |
| 2 | 2 | 3 | - | 2 | 2 | 4 | 0 200 | Green | proportional |
| 2 | - | 5 | _ | 2 | 2 | - | 0 - 255 | Green LEDs saturation control (0-100%) | proportional |
| - | | 4 | - | - | _ | 5 | 0-255 | Green Fine | proportional |
| - | - | 4 | - | - | - | 5 | 0 - 255 | Green LEDs saturation control fine | nronortional |
| | | - | | | 2 | 6 | 0-235 | | proportional |
| 3 | 3 | 5 | - | 3 | 3 | 6 | 0.255 | Blue | |
| | | | | | | _ | 0 - 255 | Blue LEDs saturation control (0-100%) | proportional |
| - | - | 6 | - | - | - | 7 | 0 055 | Blue Fine | |
| | | | - | | | | 0 - 255 | Blue LEDs saturation control fine | proportional |
| 4 | - | 7 | - | 4 | 4 | 8 | | White (Amber) | |
| | | | | | | | 0 - 255 | White LEDs saturation control (0-100%) | proportional |
| - | - | 8 | - | - | - | 9 | | White (Amber) Fine | |
| | | | | | | | 0 - 255 | White LEDs saturation control fine | proportional |
| - | - | 9 | 1 | - | 5 | 10 | | Green correction | |
| | | | | | | | 0 | Uncorrected white | step |
| | | | | | | | 1-127 | Minus green - uncorrected white | proportional |
| | | | | | | | 128 | Uncorrected white (128=default) | step |
| | | | | | | | 129-255 | Uncorrected white - Plus green | proportional |
| - | - | 10 | 2 | - | 6 | 11 | | Colour temperature correction (CTC) | |
| | | | | | | | 0 | No function | step |
| | | | | | | | 1 - 10 | Tungsten dimming 2700 K | step |
| | | | | | | | 11 - 20 | Tungsten dimming 3200 K | step |
| | | | | | | | 21-255 | Colour temperature changing from 1800 K> 6500 K | proportional |
| | | | | | | | | (21-1800K, 66-2700K, 91-3200K,141-4200K, 211-5600K, 255- 6500K) | |
| - | - | - | - | - | - | 12 | | Virtual Colour Wheel | |
| | | | | | | | 0 | No function | step |
| | | | | | | | 1-2 | White 1800 K | step |
| | | | | | | | 3-4 | White 2700 K | step |
| | | | | | | | 5-6 | White 3200 K | step |

DMX protocol

| | | Mode/channels | | | | | | Function | | |
|---|---|---------------|---|---|---|----|-----------|--|----------------|--|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | DMX Value | Function | Type of contro | |
| | | | | | | | 7-8 | White 4200 K | step | |
| | | | | | | | 9-10 | White 5600 K | step | |
| | | | | | | | 11-12 | White 6500 K | step | |
| | | | | | | | 13 | Blue (Blue=full, Red+Green+White/Amber=0) | step | |
| | | | | | | | 14-23 | Red=0, Green->up,Blue =full, White/Amber=0 | proportional | |
| | | | | | | | 24 | Cyan (Red=0, Green=full, Blue =full, White/Amber=0) | step | |
| | | | | | | | 25-34 | Red=0, Green=full, Blue->down, White/Amber=0 | proportional | |
| | | | | | | | 35 | Green (Red=0, Green=full, Blue =0, White/Amber=0) | step | |
| | | | | | | | 36-45 | Red->up, Green=full, Blue=0, White/Amber=0 | proportional | |
| | | | | | | | 46 | Yellow (Red=full, Green=full, Blue=0, White/Amber=0) | step | |
| | | | | | | | 47-56 | Red=full, Green->down, Blue=0, White/Amber=0 | proportional | |
| | | | | | | | 57 | Red(Red=full, Green=0, Blue=0, White/Amber=0) | step | |
| | | | | | | | 58-67 | Red=full, Green=0, Blue->up, White/Amber=0 | proportional | |
| | | | | | | | 68 | Magenta (Red=full, Green=0, Blue=full, White/Amber=0) | step | |
| | | | | | | | 69-78 | Red -> down, Green=0, Blue=full, White/Amber=0 | proportional | |
| | | | | | | | 79 | Blue (Red=0, Green=0, Blue=full, White/Amber=0) | step | |
| | | | | | | | | Transition effects | | |
| | | | | | | | 80-87 | Rainbow effect (with fade time) from slow-> fast | proportional | |
| | | | | | | | 88-95 | Rainbow effect (without fade time) from slow -> fast | proportional | |
| | | | | | | | 96-103 | Full dynamic white (1800K->6500K->1800K) (with fade time) | proportional | |
| | | | | | | | | from slow-> fast | | |
| | | | | | | | 104-111 | Full dynamic white (1800K->6500K->1800K) (without fade time) | proportional | |
| | | | | | | | | from slow-> fast | | |
| | | | | | | | 112-119 | Dynamic warm white (1800K-3000K-1800K) (with fade time) | proportional | |
| | | | | | | | 120-127 | from slow-> fast Dynamic warm white (1800K-3000K-1800K) (without fade time) | proportional | |
| | | | | | | | 120-127 | from slow-> fast | proportional | |
| | | | | | | | 128-135 | Rainbow effect + full dynamic white (with fade time) from slow- | proportional | |
| | | | | | | | | > fast | | |
| | | | | | | | 136-143 | Rainbow effect + full dynamic white (without fade time) from | proportional | |
| | | | | | | | | slow-> fast | | |
| | | | | | | | 145-151 | Blue/Green effect (with fade time) from slow-> fast | proportional | |
| | | | | | | | 152-159 | Blue/Green effect (without fade time) from slow-> fast | proportional | |
| | | | | | | | 160-167 | Red/Blue effect (with fade time) from slow-> fast | proportional | |
| | | | | | | | 168-175 | Red/Blue effect (without fade time) from slow-> fast | proportional | |
| | | | | | | | 176-183 | Green/Red effect (with fade time) from slow-> fast | proportional | |
| | | | | | | | 184-191 | Green/Red effect (without fade time) from slow-> fast | proportional | |
| | | | | | | | 192-199 | Blue/4000K effect (with fade time) from slow-> fast | proportional | |
| | | | | | | | 200-207 | Blue/4000K effect (without fade time) from slow-> fast | proportional | |
| | | | | | | | 208-215 | Green/4000K effect (with fade time) from slow-> fast | proportional | |
| | | | | | | | 216-223 | Green/4000K effect (without fade time) from slow-> fast | proportional | |
| | | | | | | | 224-231 | Red/4000K effect (with fade time) from slow-> fast | proportional | |
| | | | | | | | 232-239 | Red/4000K effect (without fade time) from slow-> fast | proportional | |
| | | | | | | 13 | | Shutter/Strobe | | |
| | | | | | | | 0-31 | Shutter closed | step | |
| | 1 | | | | | | 32-63 | Shutter open | step | |
| | | | | | | | 64-95 | Strobe-effect from slow to fast | proportional | |
| | | | | | | | 96-127 | Shutter open | step | |
| | | | | | | | 128-143 | Opening pulse in sequences from slow to fast | proportional | |
| | 1 | | | | | | 144-159 | Closing pulse in sequences from fast to slow | proportional | |

| | | Mode | e/cha | nnels | | | | Function | |
|--------|-------|--------|--------|---------|--------|-------|-------------|--|-----------------|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | DMX Value | Function | Type of control |
| | | | | | | | 160-191 | Shutter open | step |
| | | | | | | | 192-223 | Random strobe-effect from slow to fast | proportional |
| | | | | | | | 224-255 | Shutter open | step |
| - | - | 11 | 3 | 5 | 7 | 14 | | Dimmer | |
| | | | | | | | 0 - 255 | Light intensity coarse (0-100%) | proportional |
| - | - | 12 | - | 6 | 8 | 15 | | Dimmer Fine | |
| | | | | | | | 0 - 255 | Light intensity fine | proportional |
| | | | | | | | | | |
| Сору | right | © 20 | 22-20 |)23 R | obe l | ighti | ng s.r.o Al | l rights reserved | |
| All Sp | ecifi | catior | ns suk | oject † | to cha | ange | without not | ice | |

| ersion: 1 | 2 (16 mod | es în total) | | | |
|-----------|-------------|--------------|--------------|---|----------------|
| | Mode/Cha | nnels in all | | TW Modes: Mode 6- White selection + Dimmer, Mode 7- WW + CW | |
| 11 | 12 | 13 | 14-16 | PW Mode: Mode 8- Dimmer | |
| 3 | 4 | 2 | Reserved | | |
| | | | | TW and PW modes | |
| N | lode/channe | els | DMX | Fun attain | |
| 11 | 12 | 13 | Value | Function | Type of contro |
| 1 | - | - | | White colour selection | |
| | | | 0 - 255 | White from 2700 K - 6500 K | proportional |
| - | 1 | - | | Warm White | |
| | | | 0 - 255 | Warm White LEDs saturation control (0-100%) | proportional |
| - | 2 | - | | Cool White | |
| | | | 0 - 255 | Cool White LEDs saturation control (0-100%) | proportional |
| 2 | 3 | 1 | | Dimmer | |
| | | | 0 - 255 | Light intensity coarse (0 - 100%) | proportional |
| 3 | 4 | 2 | | Dimmer Fine | |
| | | | 0 - 255 | Light intensity fine | proportional |
| | | | | | |
| opyright | © 2022-20 | 23 Robe Lig | ghting s.r.c | o All rights reserved | |
| | | ject to char | | - | |